

Advancing Sustainable Opportunities with Photovoltaic Systems in Karbala, Iraq: A Proposal for a Connected PV System



Mustafa Faisal Ghlaini^{ID1*}, Mustafa Fakhir Hussein^{ID1**}, Asmaa Miran Hussein^{ID2***}, Haneen Hayder Jasim^{3****}

¹Department of Energy Conversion, Faculty of Mechanical Engineering, University of Kashan.

²Department of Electronic, Faculty of Electrical and Computer Engineering, University of Kashan.

³Department of Refrigeration and Air Conditioning Engineering, College of Engineering Technology, University of Hilla.

Authors' Emails:

* mhmdmomo93@gmail.com,

** mostafafaker252@gmail.com,

*** elecsoma@gmail.com,

**** haneen_jasim@hilla-unc.edu.iq

Article's History

Submitted: 3rd April 2025

Revised: 20th April 2025

Published: 22nd April 2025

Abstract

Aim: The system was designed to produce 30.0 kWp of power, generating 49,622 kWh/year of energy, with a specific production of 1,654 kWh/kWp/year and a performance ratio of 81.01%.

Methods: In this study, PVsyst and Metronome software were used to design an integrated grid-connected photovoltaic system. The geographical location was determined using Metronome parameters: latitude 32.49°N, longitude 43.86°E, altitude 83 m, and time zone UTC+3. The module area is 195 m², while the cell area is 171 m².

Results: The system demonstrated its capacity to reduce carbon dioxide emissions significantly, estimated at 1,061.248 tons according to PVsyst software parameters. The results indicate good system performance and safe operation, enabling the supply of a substantial portion of electrical energy while simultaneously reducing reliance on fossil fuel sources.

Conclusion: This highlights solar photovoltaic energy systems as a viable alternative to traditional fuels.

Recommendation: The significance of the system lies in its contribution to achieving environmental sustainability goals in Karbala, Iraq.

Keywords: *Electrical energy, fossil fuels, solar photovoltaic, PVSYS software, grid-connected*

INTRODUCTION

Background

Given its critical role in supporting equitable growth initiatives and reducing dependence on fossil fuels, photovoltaic energy represents one of the most promising alternative energy sources in Iraq. A key factor contributing to its potential is the country's high annual daily average of global solar radiation, ranging between 2,000 kWh/m² and 2,500 kWh/m² [1]. Iraq is situated in Southwest Asia, between latitudes 29° 5' and 37° 22' N and longitudes 38° 45' and 48° 45' E, forming the eastern boundary of the Arab nations. The country spans 438,320 square kilometers and shares borders with Turkey to the north, Saudi Arabia and Kuwait to the south, the Arabian Gulf to the southeast, Iran to the east, and Syria and Jordan to the west [2]. The population of Iraq is estimated at 46 million in 2024 and is projected to reach 47 million in 2025, with an expected increase to approximately 64 million by 2050 [3], [4].

The rising energy demand in Iraq is largely attributed to its growing population [5]. Currently, Iraq depends heavily on fossil fuels for electricity generation. These sources are extensively exploited, resulting in significant environmental impacts due to harmful emissions. To address these challenges, swift and effective solutions - such as easily deployable solar photovoltaic systems - are essential. [6], [7].

Integrating solar energy with the national electrical grid can help alleviate the pressure on fossil fuels, contributing to a more resilient and less fossil fuel-dependent economy [8]. Among various solar energy technologies, photovoltaic (PV) systems are the most widely used and can be efficiently integrated into the main power grid. PV systems offer multiple benefits, including a lifespan exceeding twenty years, suitability for challenging terrain, adaptability for portable installations, ease of maintenance, and grid independence in remote areas. A photovoltaic system comprises three primary components: (I) a solar energy conversion unit, (II) a converter that transforms direct current into alternating current for domestic use, and (III) a battery for energy storage, along with other components. These systems are a foundation for renewable energy due to their low cost, rapid market adoption, and sustainability [9].

Electricity generation in PV systems involves the conversion of sunlight into electricity by capturing solar energy in solar cells. This process releases electrons to produce direct current, which is subsequently converted into alternating current by an inverter for household or grid use. This mechanism is known as direct solar energy conversion [10]. In this study, a proposal for a grid-connected photovoltaic power system is proposed outlining its role in electricity generation and demonstrating safe adoption practices.

Objectives

1. Outline the connected photovoltaic energy sources in Iraq
2. Understand the importance of renewable energy in enhancing the energy sector
3. Provide a connected, sustainable, and easy-to-install system for integration with the electricity grid
4. Mitigate the impact of fossil fuels by reducing harmful emissions

LITERATURE REVIEW

This section presents a survey of solar photovoltaic systems from multiple perspectives and objectives, noting the limited studies that precisely examine the importance of photovoltaic systems in Iraq. One study highlights the significance of solar energy by exploring sun-tracking technologies and reviewing global optimization strategies for PV systems. It confirms the

abundance and eco-friendliness of solar energy, emphasizing that dual-axis tracking systems outperform single-axis and fixed systems in efficiency and benefits [11].

Another study evaluates the reliability of standalone PV systems, focusing on their long-term performance and the necessity for consistent electricity delivery, particularly in rural areas. The use of robust methodologies enhances the quality and reliability of these systems [12]. Another study discussed the design of a PV system for an average household in Al-Hilla Governorate, Iraq. It emphasizes solar energy reliance and the usage of independent PV systems for various applications, noting their importance in overcoming power delays and supporting remote development projects [13].

An analysis of off-grid PV systems for rural families in Diyala Governorate demonstrates their effectiveness over fossil fuels, suggesting their viability as long-term energy solutions in areas lacking electricity infrastructure [14]. A study provided a load estimation for off-grid solar PV systems, showing their reliability in renewable energy generation with minimal maintenance requirements [15]. A review of Iraq's solar energy potential highlights the capability of PV systems to reduce reliance on the national grid. While the systems meet performance standards, the main challenge is the accumulation of airborne dust over time [16]. The study focused on optimizing PV systems to match seasonal trends in Karbala, Iraq, and proposes cost-effective strategies for maximizing solar irradiation. It evaluates two PV approaches and a 690-kW system designed for office applications. Key considerations include a seasonal inclination angle, an albedo of 0.25, and a horizontal axis system. Results show improved efficiency and reduced costs by using more affordable materials [17].

One study underscores the technical and economic feasibility of PV systems, comparing integration with diesel systems in Sebha, Libya, where energy demand is 61,894 kWh/day. It reports that a 15.6 kW PV system requires 86 modules, 16 batteries (12 V, 375 Ah), an 18.9 kVA inverter, a 48 VA inverter, and a 60-amp, 24 V regulator. Despite high costs, long-term gains position PV systems as viable alternatives to diesel power [18]. A study assessing the performance of standalone PV systems in rural communities concludes that they are among the most effective energy options in remote areas, serving as alternatives to national grid power in representative zones [19].

Research on standalone battery systems reveals their potential to enhance electricity access in rural areas, helping alleviate energy poverty in developing countries worldwide [20]. Another study outlines the design and optimization of standalone PV systems for rural communities in Shalateen, Egypt. It confirms their efficiency in supplying electricity to families far from the national grid, advocating broader adoption [21]. Another study highlighted the crucial role of PV systems in addressing environmental challenges and supporting the energy sector, especially through grid-connected systems. A system with a maximum capacity of 584 kW using 1,095 modules over 2,994 m² is estimated to save between 13,636 and 23,117 tons of CO₂. PV systems offer sustainable energy sector solutions by 2050 [22]. Lastly, a study proposes methods for standalone PV systems suitable for off-grid users. It offers technical guidance on site selection and system components, targeting individuals seeking independent energy sources for personal consumption [23].

METHODOLOGY

In this study, PVSYS software was used to design a photovoltaic system in Karbala. The project was implemented at a site located at latitude 32.49°N and longitude 43.86°E. Metronome parameters were utilized to perform simulations that display solar radiation levels, temperature patterns, and sunrise rates specific to the location. The primary objective of this project was to

emphasize the significance of photovoltaic systems in Iraq. The selected site in Karbala was identified as part of an effort to find rapid and sustainable energy solutions. Additionally, the PV Systems software was used to generate analytical results due to its high efficiency in data analysis.

RESULTS OF THE PROPOSED SYSTEM

The location of Al Qattarah in Karbala, Iraq, was selected for the implementation of the system, considering the essential conditions required for its successful deployment. Weather data from Metronome 8.1 was utilized, providing key information on radiation levels, as well as precipitation and temperature patterns at the site. Figures 1 through 4 were analyzed to illustrate the most critical aspects of the grid-connected photovoltaic system.




Figure 1. The Radiation for Al Qattarah

Figure 1 illustrates the rates of diffuse radiation and global radiation. When comparing the months of February and June with June and July, it is evident that solar radiation levels are significantly higher in June and July. Therefore, these months represent the periods during which the highest rates of solar radiation can be achieved.




Figure 2. Sunshine Duration for Al Qattarah

Figure 2 presents the rates of sunshine duration and astronomical sunshine. It is observed that the month of June records the highest values for both sunshine duration and astronomical sunshine when compared to the other months, indicating optimal solar exposure during this period.




Figure 3. Precipitation for Al Qattarah




Figure 4. The Rate of Temperature for Al Qattarah

The photovoltaic system is designed as a grid-connected type where table (1) shows the system details in detail.

Table 1. System Summary

Grid-Connected System	Measurements
Number of modules	30.0 units
Pnom total	30.0 KWp
Quantity of inverters	5 units
Pnom total	21.00 Kwac
Pnom ratio	1.429
User's needs	Unlimited load (grid)
Tilt/Azimuth	30 / 0°

PV module		Inverter	
Manufacturer	Generic	Manufacturer	Generic
Model	Mono 250 Wp 60 cells Bifacial	Model	4.2 kWac inverter with 2 MPPT
(Original PVsyst database)		(Original PVsyst database)	
Unit Nom. Power	250 Wp	Unit Nom. Power	4.20 kWac
Number of PV modules	120 units	Number of inverters	10 * MPPT 50% 5 units
Nominal (STC)	30.0 kWp	Total power	21.0 kWac
Modules	10 string x 12 In series	Operating voltage	125-500 V
At operating cond. (50°C)		Pnom ratio (DC:AC)	1.43
Pmpp	26.98 kWp	No power sharing between MPPTs	
U mpp	330 V		
I mpp	82 A		
Total PV power		Total inverter power	
Nominal (STC)	30 kWp	Total power	21 kWac
Total	120 modules	Number of inverters	5 units
Module area	195 m²	Pnom ratio	1.43
Cell area	171 m²		
Thermal Loss factor		DC wiring losses	
Module temperature according to irradiance		Global array res.	68 mΩ
Uc (const)	20.0 W/m²K	Loss Fraction	1.5 % at STC
Uv (wind)	0.0 W/m²K/m/s		
Module mismatch losses		Module Quality Loss	
Loss Fraction	2.0 % at MPP	Loss Fraction	-0.8 %
IAM loss factor			
Incidence effect (IAM): Fresnel smooth glass, n = 1.526			
0°	30°	50°	60°
1.000	0.998	0.981	0.948
		70°	75°
		0.862	0.776
		80°	85°
		0.636	0.403
			90°
			0.000

Figure 5. PV Array Characteristics and Array Losses




Figure 6. Layout of Setup of PV System

Grid system definition, Variant VC0: "New simulation variant"

Sub-array

Sub-array name and Orientation
Name: PV Array
Orient: Fixed Tilted Plane
Tilt: 30°
Azimuth: 0°

Pre-sizing Help
No sizing
Planned power: 25 kWp
... or available area(modules): 163 m²

Select the PV module
Available Now: Filter: Bifacial modules
Generic: 250 Wp 26V Si-mono Mono 250 Wp 60 cells Bifacial Since 2015 Typical
Use optimizer: ☐ Bifacial system: ☒
Sizing voltages: Vmpp (60°C) 26.2 V
Voc (-10°C) 41.7 V

Select the inverter
Available Now: Output voltage 230 V Mono 50Hz
All manufacturers: 4.2 kW 125 - 500 V TL 50/60 Hz 4.2 kWac inverter with 2 MPPT Since 2012
Nb of MPPT inputs: 10
Use multi-MPPT feature: ☒
Operating voltage: 125-500 V Inverter power used: 21.0 kWac
Input maximum voltage: 700 V inverter with 2 MPPT
No power sharing between MPPTs

Design the array
Number of modules and strings
Mod. in series: 12 between 5 and 15
Nb. strings: 10
Overload loss: 0.2 %
Pnom ratio: 1.43
Nb. modules: 120 Area: 195 m²

Operating conditions
Vmpp (60°C) 315 V
Vmpp (20°C) 376 V
Voc (-10°C) 500 V
Plane irradiance: 1000 W/m²
Inpp (STC) 81.4 A
Isc (STC) 86.3 A
Isc (at STC) 86.3 A
Array nom. Power (STC) 30.0 kWp

The Array maximum power is greater than the specified Inverter maximum allowed input PV power, i.e. 6 kW/inverter. (Info, not significant)

List of subarrays

Name	#Mod #Inv.	#String #MPPT
PV Array		
Generic - Mono 250 Wp 60 cells Bif	12	10
Generic - 4.2 kWac inverter with 21	5	10

Global system summary

Nb. of modules	120
Module area	195 m²
Nb. of inverters	5
Nominal PV Power	30.0 kWp
Nominal AC Power	21.0 kWac
Pnom ratio	1.429

System overview Single-line diagram

Cancel OK

Figure 7. Single Line Diagram

Figure (7) shows the characteristics of a single line for the system where the PV module in operation is of the type (Mono 250Wp 60 cells Bifacial) as this type was used to obtain the best performance for the system. The number of (Inverter is 4.2Kwac inverter with 2 MPPT) and the (String is 12 Mono 250Wp 60 cells Bifacial).

System Production

Produced Energy


49622 kWh/year

Specific production

1654 kWh/kWp/year

Perf. Ratio PR

81.01 %



Balances and main results

	GlobHor kWh/m ²	DiffHor kWh/m ²	T_Amb °C	GlobInc kWh/m ²	GlobEff kWh/m ²	EArray kWh	E_Grid kWh	PR ratio
January	97.2	38.2	9.16	145.7	143.0	3958	3822	0.875
February	107.7	50.3	11.87	140.6	137.9	3747	3618	0.858
March	146.0	76.2	17.14	167.9	163.9	4347	4198	0.833
April	177.1	89.2	21.75	184.7	180.1	4663	4503	0.813
May	198.7	100.1	27.57	190.7	185.4	4695	4531	0.792
June	216.3	96.5	31.44	200.1	194.4	4807	4640	0.773
July	214.4	96.5	34.15	201.7	196.1	4792	4625	0.764
August	194.9	92.9	34.05	196.5	191.5	4675	4514	0.766
September	166.9	71.5	29.88	187.5	182.9	4528	4373	0.777
October	128.5	64.4	24.66	158.8	155.5	4005	3869	0.812
November	97.0	45.3	15.91	136.3	133.5	3602	3480	0.851
December	86.9	38.2	10.85	131.5	129.0	3573	3450	0.875
Year	1831.6	859.3	22.43	2041.9	1993.1	51392	49622	0.810

Figure 8. Main Results





Figure 9. Loss Diagram

Total: 1061.2 tCO₂
Generated emissions
Total: 61.21 tCO₂
Source: Detailed calculation from table below
Replaced Emissions
Total: 1293.7 tCO₂
System production: 49.62 MWh/yr
Grid Lifecycle Emissions: 869 gCO₂/kWh
Source: IEA List
Country: Iraq
Lifetime: 30 years
Annual degradation: 1.0 %



System Lifecycle Emissions Details

Item	LCE	Quantity	Subtotal
			[kgCO₂]
Modules	1713 kgCO ₂ /kWp	30.0 kWp	51382
Supports	5.80 kgCO ₂ /kg	1200 kg	6955
Inverters	574 kgCO ₂ /units	5.00 units	2871

Figure 10. The CO₂ Emission Balance

Conclusion

Solar photovoltaic energy represents one of Iraq's abundant natural resources, made possible by the country's favorable climatic conditions. However, despite this potential, its utilization remains limited due to various challenges. The primary reason is Iraq's wealth in fossil fuel resources such as oil and gas, which has led to a stronger focus on conventional energy sources. In this study, a grid-connected photovoltaic system was proposed for a selected site in Karbala using the PVsys software. The system demonstrated high performance, ease of implementation, and strong potential for successful adoption. By integrating this system into the national electricity grid, the electricity sector can be significantly improved, helping to enhance the energy supply. Furthermore, this system presents a viable solution to address Iraq's ongoing electricity shortages.

REFERENCES

- [1] Al-Kayiem, H. H., & Mohammad, S. T. (2019). Potential of renewable energy resources with an emphasis on solar power in Iraq: An outlook. *Resources*, 8 (1), 42.
- [2] Maan, J. B. (2017). Solar Energy Applications in Iraq: A Review. *Maan JB International Journal of Scientific Engineering and Science*, 1(9), 30-39.
- [3] Kazem, H. A., & Chaichan, M. T. (2012). Status and future prospects of renewable energy in Iraq. *Renewable and Sustainable Energy Reviews*, 16(8), 6007-6012.
- [5] Al-Yozbaky, O. S. A. D., & Khalel, S. I. (2022). The future of renewable energy in Iraq: potential and challenges. *Indonesian Journal of Electrical Engineering and Informatics (IJEI)*, 10(2), 273-291.].
- [6] Ghlain, M. F., Hussein, A. M., Hussein, M. F., & Jasim, H. H. (2025). Reevaluating Nuclear Energy's Challenges and Potentials in Addressing Global Warming Amid Ambiguous Scenarios Shaped by Prior Concerns and Apprehensions. *Journal of Environmental and Geographical Studies*, 4(1), 19–35. <https://doi.org/10.58425/jegs.v4i1.337>.
- [7] Ghlain, M. F., Hussein, M. F., & Hussein, A. M. (2025). Validation of Designing a Photovoltaic Energy (PVE) System to Enhance Urban Life and Reduce Fossil Fuel

Dependence in Tehran and Baghdad. *Journal of Environmental and Geographical Studies*, 4(1), 89–103. <https://doi.org/10.58425/jegs.v4i1.342>.

- [8] [Al-Abadi, A. M., Handhal, A. M., Abdulhasan, M. A., Ali, W. L., Hassan, J. J., & Al Aboodi, A. H. (2025). Optimal siting of large photovoltaic solar farms at Basrah governorate, Southern Iraq using hybrid GIS-based Entropy-TOPSIS and AHP-TOPSIS models. *Renewable Energy*, 241, 122308.].
- [9] Rehman, T. U., Qaisrani, M. A., Shafiq, M. B., Baba, Y. F., Aslfattahi, N., Shahsavar, A., ... & Park, C. W. (2025). Global perspectives on advancing photovoltaic system performance: A state-of-the-art review. *Renewable and Sustainable Energy Reviews*, 207, 114889.
- [10] Singh, G. K. (2013). Solar power generation by PV (photovoltaic) technology: A review. *Energy*, 53, 1-13.
- [11] Awasthi, A., Shukla, A. K., SR, M. M., Dondariya, C., Shukla, K. N., Porwal, D., & Richhariya, G. (2020). Review on sun tracking technology in solar PV system. *Energy Reports*, 6, 392-405.
- [12] Diaz, P., Egido, M. A., & Nieuwenhout, F. (2007). Dependability analysis of stand-alone photovoltaic systems. *Progress in photovoltaics: Research and applications*, 15(3), 245-264.
- [13] Al -Shamani, A. N., Othman, M. Y. H., Mat, S., Ruslan, M. H., Abed, A. M., & Sopian, K. (2015). Design & sizing of stand-alone solar power systems a house Iraq. *Design & Sizing of Stand alone Solar Power Systems A house Iraq* Ali, 145-150.
- [14] Hassan, Q., Jaszczur, M., Mohamed, M., Styszko, K., Szramowiat, K., & Gołaś, J. (2016). Off-grid photovoltaic systems as a solution for the ambient pollution avoidance and Iraq's rural areas electrification. In *E3S web of conferences* (Vol. 10, p. 00093). EDP Sciences.
- [15] Abdulateef, Mustafa Yaseen, Mohammed Hasan Ali, and Maher Alwan Hussien. "Estimation of loads for off-grid solar photovoltaic systems." *International Journal of Power Electronics and Drive Systems* 13, no. 2 (2022): 918.
- [16] Abass, Khaleel Ibrahim. "Is Iraq Ready to Use Solar Energy Applications: A Review." *International Journal of Engineering Science Invention* 6.10 (2017): 27-42.
- [17] Duhis, A. H., Mosheer, A. D., & Abed, A. M. (2023). Optimization of seasonal tilt adjustment photovoltaic system in Karbala, Iraq, by using the albedo benefit. *Indonesian Journal of Electrical Engineering and Computer Science*, 32(2), 632-642.
- [18] Elbreki, A. M., Sopian, K., Ruslan, M. H., Al-Shamani, A. N., & Elhub, B. (2016). A stand-alone Photovoltaic system design and sizing: A greenhouse application in Sabha city as a case study in Libya. *Renewable and Sustainable Energy Reviews*, 55, 100-108.
- [19] Odeh, S., & Ibrik, I. (2022). Performance assessment of standalone PV systems for rural communities. *Australian Journal of Mechanical Engineering*, 20(1), 131-140.
- [20] Kamal, M. M., & Ashraf, I. (2021). Performance assessment of standalone solar photovoltaic system for different load profiles in the rural area. *Journal of The Institution of Engineers (India): Series B*, 102(4), 777-796.
- [21] El Shenawy, E. T., Hegazy, A. H., & Abdellatef, M. (2017). Design and optimization of stand-alone PV system for Egyptian rural communities. *International Journal of Applied Engineering Research*, 12(20), 10433-10446.

[22] Faisal Ghilaim, M., Miran Hussein, A., & Fakhir Hussein, M. (2025). Green Hydrogen in the Middle East: Challenges and Opportunities for Sustainability and Compliance. *International Journal of Emerging Research in Engineering, Science, and Management*, 4(1), 11–21. <https://doi.org/10.58482/IJERESM.V4I1.2>.

[23] Ali, Waqas, Haroon Farooq, Ata Ur Rehman, Qasim Awais, Mohsin Jamil, and Ali Noman. "Design considerations of stand-alone solar photovoltaic systems." In 2018 International conference on computing, electronic and electrical engineering (ICE Cube), pp. 1-6. IEEE, 2018.

.....
Copyright: (c) 2025; Mustafa Faisal Ghilaim, Mustafa Fakhir Hussein, Asmaa Miran Hussein, Haneen Hayder Jasim



The authors retain the copyright and grant this journal right of first publication with the work simultaneously licensed under a [Creative Commons Attribution \(CC-BY\) 4.0 License](https://creativecommons.org/licenses/by/4.0/). This license allows other people to freely share and adapt the work but must credit the authors and this journal as initial publisher.